

**Appliances and Energy Storage** –

Part 5: All-Electric Design

& Construction Series

Jennifer Rennick, AIA, CEA In Balance Green Consulting


Tatiana Soglin, LEED AP BD+C In Balance Green Consulting


January 30, 2025



#### **Zoom Orientation**

- Add an introduction in the chat.
   Be sure full name is displayed.
- Did you call in? Please share first and last name with us.
- Please mute upon joining
- Use the "Chat" to share questions or comments
- Under "Participant" select "Raise Hand" to share a question or comment verbally
- Session may be recorded and posted to 3C-REN's on-demand page
- Slides/recording are shared after most events





## Tri-County Regional Energy Network

3C-REN is a collaboration between the tri-counties

Our programs reduce energy use for a more sustainable, equitable and economically vibrant Central Coast

Our free services are funded via the CPUC, bringing ratepayer dollars back to the region

#### **Our Services**

#### Incentives



HOME ENERGY SAVINGS

3c-ren.org/for-residents 3c-ren.org/multifamily



COMMERCIAL ENERGY SAVINGS

3c-ren.org/commercial

Contractors can enroll at **3c-ren.org/contractors** 

#### **Training**



BUILDING PERFORMANCE TRAINING

3c-ren.org/events
3c-ren.org/building



3c-ren.org/code

View past trainings at **3c-ren.org/on-demand** 

#### **Technical Assistance**



AGRICULTURE ENERGY SOLUTIONS

3c-ren.org/agriculture



ENERGY ASSURANCE SERVICES

3c-ren.org/assurance



#### **3C-REN Achievements**









4,000+ 1,374

**Individuals Attended** 

**Training** 

Energy-Saving
Projects Completed

334

Title 24/CalGreen Questions Answered

\$155M

Secured for investment in the tri-county region through 2028

Data from 2019-2023 for three programs



## California Licensure & AIA Learning Units

- Beginning in 2023 Licensed Architects are required by the State of California to take five (5) hours of Continuing Education (CE) coursework in Zero Net Carbon Design (ZNCD).
- This course is designed to count towards CA's ZNCD requirement <u>as</u>
   <u>well as</u> AIA's Health, Safety, Welfare (HSW) Learning Units.
- The whole series provides **5 AIA HSW / CA ZNCD** Learning Units
- For more information see
   https://www.cab.ca.gov/docs/misc/ab1010\_zncdce\_faq.pdf










#### Series Outline



- 1. Overview: Carbon Reduction through Building Electrification
- 2. ZNCD for Heat Pumps for Heating and Cooling
- 3. ZNCD for Domestic Hot Water
- 4. ZNCD for Ventilation and HRV
- 5. ZNCD for Appliances & Energy Storage





#### **Today's Learning Objectives**

- Learn the 'why' behind California's shift to building electrification and the link to Zero Net Carbon Design
- Learn the pros and cons of various products to help in selecting appropriate systems that meet electrification and carbon-reduction goals
- Learn critical installation details such as dimensions and venting to call out in plans and/or identify early in construction
- Understand the local market for specific all-electric/ZNCD equipment, including cost, availability and lead times.


#### **Learning Units:**

1.0 AIA HSW LU approved for this course



#### Agenda

- 1. Context: CA Clean Energy Goals
- 2. Stove Tops and Ranges
- 3. Electric Clothes Dryers
- 4. Electric Car Charging
- 5. Battery Energy Storage (and Solar PV)






# ZNCD and California's Clean Energy Goals



### California's Plan for Grid Stability and Expansion

#### A carbon-free electric grid where:

- Buildings are increasingly decarbonized.
- The Industrial Sector is powered by clean electricity, and by clean fuels, such as green hydrogen.
- Transportation choices are zero-emission and able to plug into the electric grid at places of convenience for all customers



https://www.gov.ca.gov/wp-content/uploads/2023/05/CAEnergyTransitionPlan.pdf

#### Big Picture Goals for the 2022 Code and 2025 Updates



- Encourage heat pump technology for space and water heating
- Establish electric-ready requirements for single family homes
- Expand PV systems and battery storage standards
- Strengthen IAQ ventilation standards



## Appliances are part of the *all-electric* dwelling/building









#### Stove Tops and Ranges

- Electric Resistance
- Induction
   Cooktops
   and
   Convection
   Ovens

#### Dryers

- Electric Resistance
- Condensing
- Heat Pump

#### Car Charging

- Home Charging
- Level 2
- NEMA or Hardwired

Solar and Battery Energy Storage


- Energy Production
- Home Energy Storage





#### Stove Tops and Ranges











#### Induction Cooktops

#### Before:

- Gas and electric resistance were most common
- Old ideas of "electric cooking" is the old coil/electric resistance kind
- Clients seeking a specific "look" for their kitchen range:





Rangemaster



#### Now:

- There's a range of induction options - high end to affordable
- Reminder that induction needs stainless steel or cast iron cookware
- Induction is faster than electric resistance and gas – AND is more energy efficient!





## Portable Induction Options...



NuWave PIC Double Portable, Powerful Independently Adjustable Dual Induction Cooktop with 52 Temperature Settings Between 100°F and 575°F & Advanced Stage Cooking & Program Functions

Brand: NuWave

\*\*\*\* 205 ratings

\$19999

& FREE Returns ~

Pay \$19.50/month or less for 12 months with Affirm. Learn more

Brand

NuWave Ceramic

Material

Color

Black/Gold

Item

12.25 x 12.5 x 2.75 inches

Dimensions

LxWxH

Item Weight

12 Pounds



- Add one burner or two burner cooktop
- Portable, affordable, popular
- Check one out from the library
  - San Luis Obispo
  - Santa Barbara
  - Ventura





#### Central Coast California Retailers Offer a Few Common Brands

Home Depot	Lowe's
Bosch	Bosch*
Empava	Empava
Frigidaire	Equator Advanced Appliances
GE	GE
LG	LG
Samsung	SPT
Trifecte	Summit Appliance
Costco	Idler's
Bosch	Bosch
GE	Frigidaire
Nuwave	GE
Samsung	KitchenAid*
<u> </u>	Miele
	Monogram
	Samsung*

#### Ferguson Supply House

GE Café\*
JennAir\*
KitchenAid\*
Miele\*
Monogram\*
Thermador\*
Whirlpool
Wolf\*

Note: These appliances run the full range of costs ("standard" to "ultra-high end") and features

\* Brand has products on display in store





#### 2 Burner Induction Cooktop Example – VEVOR \$

- **Cost Range**: \$95-\$140
- Availability: Home Depot, Lowe's, direct manufacture's website, other on-line shops
- EnergyStar: No
- Special Features: 2 burners, plugs in to 120v outlet and doesn't require professional installation
- Warranty: 1 yr Standard



Note: This unit sit on counter top and can be plugged into a standard 120V outlet



#### 2 Burner Induction Cooktop Example – Wolf \$\$\$

**Cost Range**: \$1312-\$1620


 Availability: Ferguson, Idler's, direct manufacture's website, other on-line shops

EnergyStar: No

 Special Features: 15" 2-burner cooktop, illuminated touch controls

Warranty: 2 yr Standard





Note: This unit is hardwired



Touch controls >

#### 5 Burner Induction Cooktop Example – Frigidaire \$

**Cost Range**: \$900-\$1100

 Availability: Idler's, Home Depot, Lowe's, direct manufacture's website, other on-line shops

EnergyStar: Yes

**Special Features**: 36" 5-burner cooktop, touch controls

Warranty: 1 yr Standard



Touch controls ^





#### Full Surface Induction Cooktop Example – Thermador \$\$\$

Cost Range: \$6099

 Availability: Ferguson, Idler's, direct manufacture's website, other on-line shops

EnergyStar: No

Special Features: 36" of fully usable cooking surface with room for up to 7 pots and pans, WiFi enabled for remote monitoring

Warranty: 2 yr Standard



Full color touch screen display >



Note: Cooktop shown here in combination with 36" downdraft ventilation



#### **Induction Range Example – Frigidaire \$**

**Cost Range**: \$680-\$1000

 Availability: Home Depot, Ferguson, Best Buy, direct manufacture's website, other on-line shops

EnergyStar: No

 Special Features: 30" induction cooking surface, rear panel control

Warranty: 1 yr Standard



Rear panel control



Induction dial control



Note: Look for sale prices, often priced to be competitive with gas models



#### Induction Range Example – Samsung \$\$

- Cost Range: \$1300-\$1600
- Availability: Home Depot, Lowe's, Idler's, direct manufacture's website, other on-line shops
- **EnergyStar**: Yes
- **Special Features**: 30" induction cooking surface, touch controls, WiFi connectivity
- Warranty: 1 yr Standard











#### **Induction Range Example – GE Café \$\$\$**

- **Cost Range**: \$4050-\$4500
- Availability: Ferguson, Home Depot, Lowe's, direct manufacture's website, other on-line shops
- EnergyStar: No
- Special Features: 30" wide front-control convection range with dial control induction cooktop
- Warranty: 1 yr Standard









#### **Electric Clothes Dryers**











## Electric clothes dryers

Ventless Dryers can use significantly less energy than a traditional electric vented dryer... important for ZNE and battery storage capacity

#### Electric Dryers

#### Vented

Ventless

Vents moisture laden air to the outdoors

Uses condenser to remove moisture from the air

**Standard Electric** 

Condensing

**Heat Pump** 

Price range \$800-\$1600 Search dryers and filter for ventless



Resources: <a href="https://guide.pge.com/">https://guide.pge.com/</a> and <a href="https://www.energystar.gov/products/products\_list">https://www.energystar.gov/products/products\_list</a>



#### **Bosch Marketing Material**

#### Condensation, the new way to dry.

The Bosch Condensation Dryer uses an eco-friendly solution to gently dry clothes at an optimal temperature without the need of external ducting.

- 1. Cool ambient air goes inside the dryer from the living area.
- 2. Cool ambient air is heated by the heating element at the back of the dryer.
  - 3. Hot air circulates in the drum, evaporating moisture from the load.
- 4. The combination of the hot air and moisture circulates through the condenser unit.
- 5. The hot air and moisture condenses into water as it passed through the cool condenser unit.
  - 6. The water is collected under the condenser unit and is pumped out by the drain pump.
    - 7. Warm dry air is reheated and circulated back into the dryer drum.








### Dryers with Condensers


#### Ask:

- Manual or 'self-draining' condenser reservoir?
- Manual or self cleaning condenser coil?
- Net free ventilation area needed?



#### Condenser Coil

- self cleaning option
- manual clean monthly










### Venting and Clearances


*Issue:* Laundry not dry with doors closed

Response: Keep doors open or replace w/ louvered doors and/or vent the space



Bonus: Bosch heat pump dryer only \$300 more and comes with self cleaning condenser coil.









#### Central Coast California Retailers Offer a Few Common Brands

Home Depot	Lowe's
Black+Decker GE*	Bosch Electrolux
Koolmore	GE*
LG*	LG
Midea	Midea
Samsung*	Miele
Summit Appliance	Samsung
Whirlpool	Whirlpool
Costco	Idler's
LG*	Bosch
Samsung	LG
<b>3</b>	Maytag*
	Samsung Speed Queen* Whirlpool

#### Ferguson Supply House

LG Samsung Summit Appliance

Note: These appliances run the full range of costs ("standard" to "ultra-high end") and features

\* Brand has products on display in store





## Two-In-One Washer/Dryers

- One machine no load transfer
- 120V standard outlet
- No dryer vent exhaust system needed

- Samsung
- 5.3 cu. ft.
- \$2000 (on sale for \$1300 on Home Depot)
- Energy Star
- Warranty: 1 year Parts and Labor; 3 year stainless steel tub; 20 year motor part
- Special Features
  - Wifi Connectivity with SmartThings (cycle alerts, remote start/stop/delay, etc.)
  - 7" LCD Display



- GE
- 4.8 cu. ft.
- \$2900
- Energy Star
- Warranty: 1 year entire appliance; 5 year sealed drying system; 10 year motor part
- Special Features
  - Pet hair removal
  - Antimicrobial technology
  - Smart features powered by SmartHQ (specialty cycles, status notifications, etc.)
  - Dewrinkle







#### Standard Capacity Ventless **Options**

Look for heat pumps with rebates for best pricing





\$898° Was \$1299.00 Save \$401.00 (31%)

Get up to \$185 in Rebates for 93405



LG

24 in. W 4.2 Cu. Ft. Ventless Stackable Compact SMART Electric Dryer in White with Dual Inverter HeatPump Technology

Capacity (cu. ft.) - 4.2

Vent Type — Ventless

Matching Washer... - Front Load Mat...







\$898<sup>00</sup> Was \$1299.00 Save \$401.00 (31%)

\* \* \* \* (31) Model# DV25B6900HW

Samsung

4.0 cu. ft. Smart Dial Heat Pump Dryer with Sensor Dry in White color

Capacity (cu. ft.) - 4.0

Vent Type — Ventless

Matching Washer... - Front Load Mat...

Appliance Type — Electric Dryer

\***798** Was \$1099.00 Save \$301.00 (27%)

Model# DV25B6900EW

Samsung

4.0 cu. ft. Smart Dial Electric Dryer with Sensor Dry

Capacity (cu. ft.) - 4.0

Vent Type — Vented

Matching Washer... -Front Load Mat...

Appliance Type — Electric Dryer





## Large Capacity Ventless Options

Look for heat pumps with rebates for best pricing



\$1098° Was \$1699.00 Save \$601.00 (35%)

Get up to \$285 in Rebates for 93405

★★★★★ (77) Model# DLHC5502W

16

7.8 cu. ft. Dual Inverter Heat Pump ventless Electric Dryer with DirectDrive Motor, 6 Motion and Al Sensor Dry in White

Capacity (cu. ft.) — 7.8

Vent Type — Ventless



 $\Diamond$ 



 $\substack{\$ 1898^{00} \text{ Was } \$2899.00 \\ \text{Save } \$1001.00 \; (35\%)}$ 

Get up to \$185 in Rebates for 93405

★★★★★ (37) Model# WKHC252HWA

LG

 $\Diamond$ 

5.0 cu. ft. Washer 7.8 cu. ft. Dual Inverter Heat Pump Ventless Dryer Electric Washtower in White

Dryer Fuel Type - Electric

Capacity (cu. ft.) — 5.0



0

\$898 00 Was \$1299.00 Save \$401.00 (31%)

★★★★ (31)
Model# DV25B6900HW

Samsung

4.0 cu. ft. Smart Dial Heat Pump Dryer with Sensor Dry in White color

Capacity (cu. ft.) — 4.0


Vent Type — Ventless

Matching Washer... — Front Load Mat...





#### **Electric Car Charging**









### Charging Our Cars



^ Bank of Tesla Super Chargers (AG, Calif) NACS Plugs on 2025 EVs will allow for multi-brand charging



^ Plug-in (240V) Smart Circuit Splitter









#### Level 2 Chargers

Some Brands are Specific to Car Brands

ABB InCharge Tesla

AMPROAD Injet TurnOnGreen

Atess LITEON Vestel

Blink Leviton Vevor

ChargePoint Loop Wallbox

Cyber Switching MUSTART Webasto

Delta Mid-Cour YEAHCO

EV Gear Morec ZEF Energy

Eaton Phihong Zencar

Emporia Piwin Zerova

Emporia Energy PowerPump

Enphase Rivian

EvoCharge SARIN Energy

FLO Siemens

Ford Smartenit

Gateway International 36 Sunrun/Ford





### **Relative Costs**

If Installing a permanent charger or need a new NEMA 14-50 (240V) outlet add \$750-\$2000 for Lic Electrician's work.

- Level 2 240V Hardwired and NEMA 14-50 Plug-in
- Typical Cost Range \$500-\$700
- Least expensive: Some Plug-in 240V but most are only 110V/120V and 15-20 amp
- Costs start under \$100
- Available on-line and at Home Depot and Lowe's
- NeoCharge Smart Splitter
  - Plug into your home's existing 240V outlet
  - All outlet configurations available
  - Typical Cost Range \$350-400



Enphase IQ 40 Level 2 32A ...

\$644.00

**Enphase Store** 



GM Genuine Parts Power...

\$599.00

GM Genuine ...



ChargePoint Level 2 EV...

\$549.00

Amazon.com



EVDANCE Level 1&2...

\$186.99

**EV**dance



EV Charger Level 2...

\$180.49

Home Depot



NEMA 10-30 Smart Splitte...


\$299.00


NeoCharge






### **Rebates and Incentives**





https://homecharging.electricforall.org/home-chargers-incentives-catalog/



# Battery Energy Storage (and Solar PV)





## Battery – Energy Storage Systems (BESS) (ESS)




Utility Scale –Grid Stabilization and In Front of the Meter Micro-grids



Commercial and Industrial



Multifamily and Non-Res and Behind the Meter Micro-grids





## Peak Loads – Daily Load Shifting and Grid Relief

Resiliency and Load Shifting (Single Fam and all Occupancies)

- Load Shifting –Use battery when electric rates are highest cost
- **Resiliency** –Use battery when electric power goes out
- Grid Stability Distributed Resources and Virtual Power Plant (VPP) Battery Programs through the Electric Utility or Battery Provider/Brand Partner
- Self Utilization –Store excess onsite Solar Energy for later use

Code Requirement (High-Rise Multifamily and Non-Res)

- Multifamily 4 Stories or Greater
- Commercial Occupancies
- Only Required if a PV System is Triggered
  - Grid Tied
  - Minimum Size Threshold –Exemptions

## **Energy Code – Highrise and Non-Res**

#### **2022 Code Applicable Occupancy Types:**

High-Rise Residential

Grocery

Retail

Restaurant

School

Warehouse

Auditorium, Convention Center, Theater

Hotel-Motel

Office, Financial, or Unleased


Clinic/Medical Office Building

Under the 2025 Code occupancies are expanded and some will have increased PV and Battery requirements. Restaurants for example have a dramatic increase. Libraries have been added, as they are part of emergency/disaster relief centers.



Solar System size will depend on Occupancy Type, Conditioned Floor Area, etc. The Battery System size will depend on PV System Size.

## The Electric Grid was the Seasonal 'Battery' for Solar PV...



Predicted

Month

Use in Kilo-Watt

Hours (kWh) per




Grid-Tied solar systems were designed to use the 'Grid' as a seasonal battery.

During a given year the building's solar production would deliver as many kWh as the household used.




## **2022 Energy Code – Single Family**

- Battery is Optional
- Mandatory Measure: "Battery Ready" for New Construction



## **Common Equipment for a Solar + Battery System**



## **General Design Considerations**


- Outdoor and indoor installations are possible
- Protect from impact damage
- Protect from temperature extremes
- Protect from adverse weather
- Maintain 3 ft distance from paths of travel, doors and windows
- Follow manufacture's installation requirements



## Fire Safety – NFPA 855

## Highlights from Chapter 15 – One and Two Family Units and Townhouses:

- Individual ESS units max 20 kWh stored energy
- Separate individual units by 3 ft
- Aggregate capacity shall not exceed:
  - 40 kWh within utility closets or storage spaces
  - 80 kWh in garages and/or detached accessory structures
  - 80 kWh on exterior walls or in outdoor installations
- Utility closets/spaces and/or garage shall have 5/8" Type X gypsum board ceilings and walls
- Interconnected smoke alarms shall be installed through out the dwelling and attached garage (or when appropriate an interconnected heat alarm)
- Maintain 3 ft clearance from all windows and doors



Batteries maybe installed closer if it can be shown to the AHJ that the battery manufacture has complied with proper fire testing and has specified the minimum distance.



## **Home Battery Systems – Large Market**


Some popular examples, but there are many others coming to market every day:




## Market Share - Excerpt from EnergySage Data Set

www.energysage.com

#### STORAGE MARKETPLACE SHARE BY HALF YEAR



#### PERCENT DIFFERENCE FROM LEAST EXPENSIVE OPTION



SunPower filed for bankruptcy on August 5, 2024, so we expect this to be the last report including its products.





Solar & Storage Marketplace Report intel@energysage.com

### Manufactures often show estimates for their products' use:

This is useful information for a basic understanding of the capacity and duration of use for a battery system.








## Sizing and Cost Savings – Solar Calculator 'WattPlan'

https://guide.pge.com



User can fine tune the battery parameters and costs **Storage** Storage can increase the amount of usage you can cover with generation from your solar system. Energy capacity: 13.5 kWh Power, Max Continuous: 5.0 kW 10 Unit Price: \$1,000 per kWh 2000 System Price: \$13,500 ②

## **Benefit of Battery Storage**

If you can afford the upfront costs of the battery (assumed \$13,500 installed):

- Save additional \$9,307 over 20 yrs
- Additional year to 'Breakeven'
- Very low utility bill (est. \$82/mo)
- Power some critical loads during a power outage

#### Solar only

No

Backup power

41%

Solar energy used on site, not exported

#### **Key financials**

\$15,960	System cost
\$4,788	Total incentives
\$33,184	Net savings or (costs)
<b>\$33,104</b>	over the next 20 years
Year 6	Breakeven
¢2.40	Current average
\$349	monthly bill
¢170	Average monthly bill
\$178	after solar

#### **Key features**

- Solar system will export excess power to receive bill credits
- Solar generation shuts down during power outages unless special inverter is used

#### Solar and storage

Yes

Backup power

**78%**Solar energy used on site, not exported


#### **Key financials**

System cost	\$29,460
Total incentives	\$8,838
Net savings or (costs)	\$42,491
over the next 20 years	
Breakeven	Year 7
Current average	¢2.40
monthly bill	\$349
Average monthly bill	¢oo
after solar + storage	\$82

#### **Key features**

- Power critical appliances or even your whole home - for a limited duration during power outages
- Use solar energy when the sun is shining, store excess solar power for use during evening peak hours, when electricity is most expensive

## Zero Net Energy (ZNE) –the energy a home uses in one year is equal to the energy produced on-site for that year



Under the new electric pricing system (NEM 3), a solar PV system with battery storage can be more cost effective than a PV System alone for a ZNE home.

Battery Storage System can add Resiliency and Energy Independence

For Example: New Construction 2000 SF home in Atascadero (climate zone 4) a 2.38 kW system would be required.

Santa Barbara and Ventura coastal areas would be slightly less.



### **Existing Homes: Solar PV and Battery Systems**





New electrical panel, sub-panel and controller.

#### Considerations:

New roof or re-roofing / repairs needed? Panel upgrade needed –additional costs? Solar access / shading on roof?



## Occupant Habits: Energy Usage, Solar PV and Battery Systems






Battery Storage: Two batteries are providing whole home back-up – for the most part...

Depending on one's driving milage, electric cars can add significant loads.



Electric dryer – Multiple consecutive use can add significant electric load, pulling energy from the grid.



"Laundry Day" – Solar only met 59% of the need that day –battery recharge has "priority" on solar energy.




## **Questions about Title 24?**

#### 3C-REN offers a free Code Coach Service







Online: 3c-ren.org/code

Call: **805.781.1201** 

Energy Code Coaches are local experts who can help answer your Title 24 Part 6 or Part 11 questions.

They can provide code citations and offer advice for your res or non-res projects.

## Closing



#### **Continuing Education Units Available**

Contact chloe.swick@ventura.org for AIA LUs

#### **Coming to Your Inbox Soon!**

Slides, Recording, & Survey – Please Take It and Help Us Out!

#### **Upcoming Courses:**

- Green Building Construction Tour: San Luis Obispo (2/11)
- 2025 Energy Code Update for the Building Industry (2/12)
- High Performance Buildings: Designing for Utility Costs and Carbon Emissions (2/20)
- Crafting High Performance Enclosures: Roofs, Walls, and Floors (3/4)

Any phone numbers who joined? Please share your name!



## Thank you!

More info: 3c-ren.org

Questions: info@3c-ren.org

Email updates: 3c-ren.org/newsletter



TRI-COUNTY REGIONAL ENERGY NETWORK
SAN LUIS OBISPO • SANTA BARBARA • VENTURA

